



**Rosalyn** Quilt designed by: **Max & Louise** • Quilt Size: **93 1/2" x 93 1/2"** • Skill Level: **Intermediate**

Quilt finished 93 1/2" x 93 1/2"

## Quilt Cutting Directions

**Note: Read assembly directions before cutting patches.** Borders are cut to exact length required plus 1/4" seam allowance. WOF designates the width of fabric from selvedge to selvedge (approximately 42" wide).

**Fabric A** Cut (1) 9" x WOF strip. Sub-cut (1) 9" square, (8) 2 3/8" squares, and (16) 2" squares.

**Fabric B** Cut (1) 4 3/4" x WOF strip. Sub-cut (4) 4 3/4" squares.  
Cut (1) 2 3/8" x WOF strip. Sub-cut (8) 2 3/8" squares.  
Cut (1) 2" x WOF strip. Sub-cut (16) 2" squares.  
Cut (4) 1 1/2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 1/2" x 7 1/2" strips.  
Cut (4) 1 1/2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 1/2" x 7 7/8" strips.

**Fabric C** Cut (1) 3" x WOF strip. Sub-cut (8) 3" squares.  
Cut (1) 2 3/8" x WOF strip. Sub-cut (8) 2 3/8" squares.  
Cut (1) 2" x WOF strip. Sub-cut (16) 2" squares.

**Fabric D** Cut (1) 3" x WOF strip. Sub-cut (8) 3" squares and (4) 2 5/8" squares.  
Cut (2) 2 3/8" x WOF strips. Sub-cut (16) 2 3/8" squares.  
Cut (2) 2" x WOF strips. Sub-cut (4) 2" x 5" strips and (24) 2" squares.

**Fabric E** Cut (1) 9 7/8" x WOF strip. Sub-cut (1) 9 7/8" square, (8) 2 3/8" squares, and (16) 2" squares. Cut the 9 7/8" square across (1) diagonal to make (2) 9 7/8" triangles.

## Quilt Fabric Requirements

		Yardage	Fabric
<b>Fabric A</b>	<b>blocks</b>	3/8 yard	1023-E
<b>Fabric B</b>	<b>blocks, border</b>	3/4 yard	1031-E
<b>Fabric C</b>	<b>blocks</b>	1/3 yard	1025-E
<b>Fabric D</b>	<b>blocks</b>	1/2 yard	1030-LP
<b>Fabric E</b>	<b>blocks</b>	2/3 yard	1027-T
<b>Fabric F</b>	<b>blocks</b>	2/3 yard	1028-T
<b>Fabric G</b>	<b>blocks</b>	1 1/8 yards	1026-L
<b>Fabric H</b>	<b>blocks</b>	2/3 yard	1027-Y
<b>Fabric I</b>	<b>blocks</b>	1/2 yard	1029-R
<b>Fabric J</b>	<b>blocks</b>	1 2/3 yards	1023-T
<b>Fabric K</b>	<b>blocks</b>	1/4 yard	1028-E
<b>Fabric L</b>	<b>blocks</b>	1/4 yard	1026-T
<b>Fabric M</b>	<b>blocks</b>	3/8 yard	1031-L
<b>Fabric N</b>	<b>blocks</b>	1/4 yard	1030-L
<b>Fabric O</b>	<b>blocks</b>	1/4 yard	1023-L
<b>Fabric P</b>	<b>blocks</b>	1/4 yard	1029-T
<b>Fabric Q</b>	<b>blocks</b>	1/4 yard	1030-LT
<b>Fabric R</b>	<b>blocks</b>	1/8 yard	1025-P
<b>Fabric S</b>	<b>blocks</b>	1/4 yard	1028-Y
<b>Fabric T</b>	<b>blocks</b>	1/4 yard	1027-P
<b>Fabric U</b>	<b>blocks</b>	1/4 yard	1029-L
<b>Fabric V</b>	<b>blocks</b>	1/4 yard	1027-E
<b>Fabric W</b>	<b>blocks</b>	1/8 yard	1024-R
<b>Fabric X</b>	<b>blocks</b>	1/4 yard	1024-P
<b>Fabric Y</b>	<b>blocks</b>	1/4 yard	1025-T
<b>Fabric Z</b>	<b>blocks</b>	1/8 yard	1026-P
<b>Fabric AA</b>	<b>blocks</b>	1/8 yard	1031-T
<b>Fabric BB</b>	<b>blocks, border</b>	3 yards	1024-T
<b>Binding</b>		3/4 yard	1026-P
<b>Backing</b>		8 1/2 yards	1028-T

Cut (1) 9 1/2" x WOF strips. Sub-cut (4) 9 1/2" squares.

**Fabric F** Cut (1) 9 7/8" x WOF strip. Sub-cut (1) 9 7/8" square, (12) 2 3/8" squares, (18) 2" squares, (3) 2" x 5" strips. Cut the 9 7/8" square across (1) diagonal to make (2) 9 7/8" triangles.  
Cut (1) 9 1/2" x WOF strip. Sub-cut (4) 9 1/2" squares.



## Cutting Directions - Continued

<b>Fabric G</b>	Cut (2) 9 1/2" x WOF strips. Sub-cut (4) 9 1/2" x 18 1/2" strips. Cut (1) 9 1/2" x WOF strip. Sub-cut (4) 9 1/2" squares. Cut (1) 2 3/8" x WOF strip. Sub-cut (12) 2 3/8" squares. Cut (1) 2" x WOF strip. Sub-cut (3) 2" x 5" strips. Cut (1) 2" x WOF strip. Sub-cut (18) 2" squares.	<b>Fabric O</b>	Cut (2) 2" x WOF strips. Sub-cut (24) 2" squares and (4) 2" x 5" strips.  Cut (1) 2 3/8" x WOF strip. Sub-cut (8) 2 3/8" squares. Cut (1) 2" x WOF strip. Sub-cut (16) 2" squares.
<b>Fabric H</b>	Cut (3) 5" x WOF strips. Sub-cut (12) 5" x 9 1/2" strips. Cut (1) 2 3/8" x WOF strip. Sub-cut (8) 2 3/8" squares. Cut (1) 2" x WOF strip. Sub-cut (16) 2" squares.	<b>Fabric P</b>	Cut (1) 2 3/8" x WOF strip. Sub-cut (8) 2 3/8" squares. Cut (1) 2" x WOF strip. Sub-cut (16) 2" squares.
<b>Fabric I</b>	Cut (2) 5" x WOF strips. Sub-cut (12) 5" squares. Cut (1) 2 3/8" x WOF strip. Sub-cut (8) 2 3/8" squares. Cut (1) 2" x WOF strip. Sub-cut (16) 2" squares.	<b>Fabric Q</b>	Cut (1) 2 3/8" x WOF strip. Sub-cut (12) 2 3/8" squares. Cut (1) 2" x WOF strip. Sub-cut (18) 2" squares. Cut (1) 2" x WOF strip. Sub-cut (3) 2" x 5" strips.
<b>Fabric J</b>	Cut (7) 8" x WOF strips. Sub-cut (32) 8" squares.	<b>Fabric R</b>	Cut (1) 2 3/8" x WOF strip. Sub-cut (4) 2 3/8" squares and (8) 2" squares.
<b>Fabric K</b>	Cut (1) 2 3/8" x WOF strip. Sub-cut (12) 2 3/8" squares. Cut (1) 2" x WOF strip. Sub-cut (18) 2" squares. Cut (1) 2" x WOF strip. Sub-cut (3) 2" x 5" strips.	<b>Fabric S</b>	Cut (1) 2 3/8" x WOF strip. Sub-cut (12) 2 3/8" squares. Cut (1) 2" x WOF strip. Sub-cut (18) 2" squares. Cut (1) 2" x WOF strip. Sub-cut (3) 2" x 5" strips.
<b>Fabric L</b>	Cut (1) 2 3/8" x WOF strip. Sub-cut (8) 2 3/8" squares. Cut (1) 2" x WOF strip. Sub-cut (16) 2" squares.	<b>Fabric T</b>	Cut (1) 2 3/8" x WOF strip. Sub-cut (8) 2 3/8" squares. Cut (1) 2" x WOF strip. Sub-cut (16) 2" squares.
<b>Fabric M</b>	Cut (2) 2 3/8" x WOF strips. Sub-cut (20) 2 3/8" squares. Cut (2) 2" x WOF strips. Sub-cut (30) 2" squares. Cut (1) 2" x WOF strip. Sub-cut (5) 2" x 5" strips.	<b>Fabric U</b>	Cut (1) 2 3/8" x WOF strip. Sub-cut (8) 2 3/8" squares. Cut (1) 2" x WOF strip. Sub-cut (12) 2" squares and (2) 2" x 5" strips.
<b>Fabric N</b>	Cut (1) 2 3/8" x WOF strip. Sub-cut (16) 2 3/8" squares.	<b>Fabric V</b>	Cut (1) 2 3/8" x WOF strip. Sub-cut (12) 2 3/8" squares. Cut (2) 2" x WOF strips. Sub-cut (24) 2" squares.
		<b>Fabric W</b>	Cut (1) 2 3/8" x WOF strip. Sub-cut (4) 2 3/8" squares and (8) 2" squares.

## Cutting Directions - Continued

**Fabric X** Cut (1)  $2\frac{3}{8}$ " x WOF strip. Sub-cut (8)  $2\frac{3}{8}$ " squares.  
Cut (1) 2" x WOF strip. Sub-cut (16) 2" squares.

**Fabric Y** Cut (1)  $2\frac{3}{8}$ " x WOF strip. Sub-cut (8)  $2\frac{3}{8}$ " squares.  
Cut (1) 2" x WOF strip. Sub-cut (16) 2" squares.

**Fabric Z** Cut (1)  $2\frac{3}{8}$ " x WOF strip. Sub-cut (4)  $2\frac{3}{8}$ " squares and (8) 2" squares.

**Fabric AA** Cut (1)  $2\frac{3}{8}$ " x WOF strip. Sub-cut (4)  $2\frac{3}{8}$ " squares and (8) 2" squares.

**Fabric BB** Cut (4)  $8\frac{3}{4}$ " x 98" Length of Fabric (LOF) strips.  
From the remaining fabric, cut (4)  $2\frac{3}{8}$ " squares and (8) 2" squares.

**Binding** Cut (10)  $2\frac{1}{2}$ " x WOF strips for the binding.

**Backing** Cut (3) 102" x WOF strips. Sew the strips together and trim to make (1) 102" x 102" backing.

## Making the Quilt

*The arrows in the diagrams represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.*

### 1. Block Assembly

Place (1)  $4\frac{3}{4}$ " Fabric B square on the top left corner of (1) 9" Fabric A square, right sides together (Diagram 1). Sew across the diagonal of the smaller square from the upper right corner to the lower left corner (Diagram 1). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle  $\frac{1}{4}$ " away from the sewn seam (Diagram 2).



Diagram 1



Diagram 2

- Follow Diagram 3 for the seam direction to add a  $4\frac{3}{4}$ " Fabric B square to each of the remaining corners of the 9" Fabric A square to make (1) Unit 1 square (Diagram 4).



Diagram 3



Diagram 4

- Place (1) 3" Fabric C square on top of (1) 3" Fabric D square, right sides together. Draw a line across the diagonal of the top square (Diagram 5). Sew  $\frac{1}{4}$ " away from each side of the drawn diagonal line (Diagram 5). Cut the (2) squares apart on the drawn diagonal line (Diagram 6) to make (2) half-square triangles. Trim the half-square triangles to measure  $2\frac{5}{8}$ " square to make (2) Unit 2 squares (Diagram 7). Repeat to make (16) Unit 2 squares total.



Diagram 5



Diagram 6



Diagram 7

- Sew (4) Unit 2 squares together. Sew (1)  $2\frac{5}{8}$ " Fabric D square to each end of the new sewn strip to make the top row. Repeat to make the bottom row. Sew (4) Unit 2 squares together. Repeat to make a second strip. Sew (1) newly sewn strip to each side of the Unit 1 square. Sew the (3) rows together lengthwise to make (1)  $13\frac{1}{4}$ " Unit 3 square (Diagram 8).




Diagram 8

- Refer to Diagram 9 and sew (2)  $9\frac{7}{8}$ " Fabric E triangles and (2)  $9\frac{7}{8}$ " Fabric F triangles to the (4) sides of the Unit 3 square to make (1)  $18\frac{1}{2}$ " Unit 4 square.




Diagram 9

6. Place (1) 9 1/2" Fabric F square on the left side of (1) 9 1/2" x 18 1/2" Fabric G strip, right sides together (Diagram 10). Sew across the diagonal of the square from the upper right corner to the lower left corner (Diagram 10). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a 1/4" seam allowance (Diagram 11).



Diagram 10




Diagram 11

7. Place (1) 9 1/2" Fabric E square on the right side of the 9 1/2" x 18 1/2" Fabric G strip, right sides together (Diagram 12). Sew across the diagonal of the square from the upper left corner to the lower right corner (Diagram 12). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a 1/4" seam allowance to make (1) Unit 5 strip (Diagram 13).




Diagram 12



Diagram 13

8. Repeat Steps 6-7 to make (4) Unit 5 strips total.

Unit 5

make 4

9. Sew (1) 9 1/2" Fabric G square to each end of (1) Unit 5 strip to make the top row. Repeat to make the bottom row. Sew (1) Unit 5 strip to each side of the Unit 4 square to make the middle row. Sew together the (3) rows lengthwise to make 36 1/2" Center Block (Diagram 14).




Diagram 14

10. Sew together (3) 5" x 9 1/2" Fabric H strips and (2) 5" Fabric I squares, alternating them from top to bottom, to make (1) Inner Side Border (Diagram 15). Repeat to make a second Inner Side Border.

Inner Side  
Border  
make 2



Diagram 15

11. Sew together (4) 5" Fabric I squares and (3) 5" x 9 1/2" Fabric H strips, end to end and alternating them from left to right, to make the Inner Top Border (Diagram 16). Repeat to make the Inner Bottom Border.

Inner Top/Bottom Border

make 2




Diagram 16

12. Sew (1) 2" Fabric V square to each side of (1) 2" Fabric F square. Repeat to make a second strip. Sew the newly sewn strips to the top and to the bottom of (1) 2" x 5" Fabric F strip to make (1) Unit 6 square (Diagram 17).

Unit 6




Diagram 17

13. Place (1) 2 3/8" Fabric V square on top of (1) 2 3/8" Fabric F square, right sides together. Draw a line across the diagonal of the top square (Diagram 18). Sew 1/4" away from each side of the drawn diagonal line (Diagram 19). Cut the (2) squares apart on the drawn diagonal line (Diagram 19) to make (2) half-square triangles. Trim the half-square triangles to measure 2" square to make (2) Unit 7 squares (Diagram 20). Repeat to make (8) Unit 7 squares total.




Diagram 18




Diagram 19






Diagram 20

- 14.** Sew (1) Unit 7 square to each side of (1) 2" Fabric V square to make (1) Unit 8 strip (Diagram 21). Repeat to make (4) Unit 8 strips total.



- 15.** Sew (1) 2" Fabric F square to each end of (1) Unit 8 strip to make the top row. Repeat to make the bottom row. Sew (1) Unit 8 strip to each side of the Unit 6 square to make the middle row. Sew together the (3) strips lengthwise to make (1) 8" Block One square (Diagram 22).



- 16.** Repeat Steps 12-15 and refer to Diagrams 23-51 for fabric identification, placement and orientation to make the indicated number of each block square for Block Two through Block Thirty.




Diagram 29




Diagram 30




Diagram 31




Diagram 32




Diagram 33




Diagram 34




Diagram 35




Diagram 36




Diagram 37




Diagram 23




Diagram 24




Diagram 25




Diagram 38




Diagram 39




Diagram 40




Diagram 26




Diagram 27




Diagram 28




Diagram 41




Diagram 42




Diagram 43

Block Twenty-Three




Diagram 44

Block Twenty-Four




Diagram 45

Block Twenty-Five




Diagram 46

Block Twenty-Six




Diagram 47

Block Twenty-Seven




Diagram 48

Block Twenty-Eight




Diagram 49

Block Twenty-Nine




Diagram 50

Block Thirty




Diagram 51

17. Follow Diagram 52 and sew together (6) 8" Fabric J squares and (6) assorted pieced Blocks into a 2 x 6 matrix to make the Outer Left Side Border.
18. Repeat Step 17 and refer to Diagrams 53-55 for component identification, placement and orientation to make the Outer Right Side Border, the Outer Top Border and the Outer Bottom Border.

Outer Left Side Border




Diagram 52

Outer Right Side Border




Diagram 53

Outer Top Border




Diagram 54

Outer Bottom Border



Diagram 55

## Quilt Top Assembly

(Refer to the *Quilt Layout* when assembling the quilt top.)

19. Sew the Inner Left Side Border and Inner Right Side Border to the left and to the right sides of the Center Block.
20. Sew the Inner Top Border and the Inner Bottom Border to the top and to the bottom of the Center Block.
21. Sew the Outer Left Side Border and the Outer Right Side Border to the left and to the right sides of the Center Block.
22. Sew the Outer Top Border and Outer Bottom Border to the top and to the bottom of the Center Block.
23. Sew (1) 1 1/2" x 75 1/2" Fabric B strip to each side of the Center Block. Sew (1) 1 1/2" x 77 1/2" Fabric B strip to the top and to the bottom of the Center Block.
24. Center (1) 8 3/4" x 98" Fabric BB strip on (1) side of the Center Block and pin in place. Start sewing the strip a 1/4" from the top edge of the block and stop a 1/4" from the bottom edge. **DO NOT TRIM THE EXCESS.** Repeat with the opposite side.
25. Repeat Step 24 to sew (1) 8 3/4" x 98" Fabric BB strip to the top and to the bottom of the Center Block, making sure to stop and start 1/4" away from each end of the block. To miter each corner, fold the Center Block on a diagonal, wrong side together. This should line up the strips from adjacent sides (Diagram 56).

- 26.** Starting at the sewn seam (represented by the arrow in Diagram 56), draw a 45-degree line to the edge of the fabric. Sew on the drawn line. Trim the excess fabric leaving a ¼" seam. Repeat this step with the remaining corners to make the quilt top.





Diagram 56

## Finishing the Quilt

- 27.** Layer and quilt as desired.
- 28.** Sew the (10) Fabric Z binding strips together, end to end with a 45-degree seams, to make the binding. Fold this long strip in half lengthwise with wrong sides together and press.
- 29.** Bind as desired.



Quilt Layout



# Fernshaw

MAX & LOUISE



1023-E

3/8 yd



1023-L

1/4 yd



1023-T

1 2/3 yds



1024-P

1/4 yd



1024-R

1/8 yd



1024-T

3 yds



1025-E

1/3 yd



1025-P

1/8 yd



1025-T

1/4 yd



1026-L

1 1/8 yds



1026-P

7/8 yd

(includes binding)




1026-T

1/4 yd



1027-E

1/4 yd




1027-P

1/4 yd



1027-T

2/3 yd



1027-Y

2/3 yd



1028-E

1/4 yd



1028-T

9 1/4 yds

(includes backing)




1028-Y

1/4 yd




1029-L

1/4 yd



1029-R

1/2 yd



1029-T

1/4 yd



1030-L

1/4 yd



1030-LP

1/2 yd



1030-LT

1/4 yd




1031-E

3/4 yd



1031-L

3/8 yd



1031-T

1/8 yd

Fabrics shown are 25% of actual size.

andover : makower uk

Free Pattern Download Available

1384 Broadway New York, NY 10018  
Tel. (800) 223-5678 • [andoverfabrics.com](http://andoverfabrics.com)